

Relestyring med ESP8266



Produktkode: 366aa

Tilgjengelighet: 3

Lager : P 28

Pris: kr. 130,00

Short Description

ESP8266 Wireless Relay Switch Control Module Network Wifi Development Board

Beskrivelse

Description:

- Features:
- Access control server via TCP CLIENT mode.
- One output status indicator, one input status indicator.
- One way optocoupler isolation input, TVS input protection.
- High-current terminals. More safe with relays PCB pin anti-climb design.
- It has input overvoltage protection and input belt TVS. When voltage exceeds 33V, the automatic protection will operate.
- ESP8266 Wireless Relay Switch Control Module only, other accessories demo in the picture is not included!

- Specification:
- Input Voltage : DC 7-30V
- Relay Type: 220V 10A
- Dimensions: 6.5x4cm/2.56x1.57inch
- Color: Green
- Quantity: 1 Pc
- Note:
- 1.Transition: 1cm=10mm=0.39inch
- 2.Please allow 0-3mm error due to manual measurement. pls make sure you do

not mind before you bid.

- 3. Due to the difference between different monitors, the picture may not reflect the actual color of the item. Thank you!


Package includes:


- 1 x ESP8266 Wireless Relay Switch Control Module (without retail package)

support

<https://youtu.be/ZyetXihGrM0>

Product Gallery





27.7g

