FPV transmitter 600mW



Produktkode: 300aa
Tilgjengelighet: Opp til 1 mnd leveringstid
Weight: 20.00g
Custom Field 5 (Location): D16-18

Pris: kr. 210,00

Kort beskrivelse

TS835 5.8G 600mw 48CH 1A FPV Audio Video AV Mini Transmitter For RC Quadcopter

Beskrivelse

Specification:

Antenna connection: RP-SMA, jack (module side, both TX and RX)
Power:600mw
Channel:48CH
Frequency:5.8G
Video Format: NTSC/PAL
Antenna Gain: 2db
Working Current: 1A/5V
Output Impedance: 50 Ohm
Output Power: 13~14dBm
Operating Voltage: 7V~30V
Operating Temperature: -10~85?
Video Band Width: 0~8.0 MHz
Audio Carrier Frequency: 6.5 MHz
Video Input Level: 0.8~1.2 Vp-p
Video Input Impedance: 75 Ohm

Audio Input Level: 0.5~2.0 Vp-p
Audio Input Impedance: 10K Ohm
Dimension: 54mm x 32mm x 10mm
Weight: 65g

Features:
?This is 48-channel transmitter of 5.8G 25mW A/V wireless system.
?48 channels: Cover A, B, C,D,H and L band (Air wave band).
?Digital phase-locked loop circuit, no channel drift issues.
?Small size, light weight, easy to carry
? Shape and power and is the same TS832,But it can enter 7-30V, with 5V 1A regulator function,also can give GoPro 3 SJ4000 and other power supply.TS832 without this feature (DJI Phantom 2 just need TS832)

Package Contents:
1 x TS835 Transmitter
1 x 5.8G Antenna
1 x Line

Frequency Range		CH					
		CH1	CH2	CH3	CH4	CH5	CH6
FR	FR1(A)	5865	5845	5825	5805	5785	5765
	FR2(B)	5733	5752	5771	5790	5809	5828
	FR3(C)	5705	5685	5665	5645	5885	5905
	FR4(D)	5740	5760	5780	5800	5820	5840
	FR5(H)	5658	5695	5732	5769	5806	5843
	FR6(L?	5362	5399	5436	5473	5510	5547

Produktgalleri

TS835


TS835
FR CH


TS835
FR CH
TS835


5.8G
48CH
TS835
FR CH


Volume
Displacement device
MIC
Audio line
welding position


5.8G
48CH
TS835
FR CH


5.8G
48CH
TS835
FR CH


TS835
Positive
input 7-30V
Negative
AV line
Positive
output 5V1A
Negative


FR
CH
TS835
5.8G
48CH