
CJMCU-226 Bi-Directional Current /Power Monitor Module



Produktkode: 576aa
Tilgjengelighet: 3
Weight: 20.00g
Custom Field 5 (Location): C 6

Pris: kr. 95,00

Kort beskrivelse
CJMCU-226 INA226 IIC Interface Bi-Directional Current /Power Monitor Module

Beskrivelse
Product Introduction:

1.Common Mode Voltage:36V (max)

2.Input Offset:10uV (max)

3.Input Offset Drift:0.02uV/C (typical)

4.CMRR:126dB (min)

5.Bandwidth:7KHz

6.Supply Voltage:5.5V (max)

7.Operating Temperature Range:-40~125 celsius

8.Special Features:alert function;bi-directional;I2C;low-side capable

Features:

1.Senses Bus Voltages From 0 V to 36 V

2.High-Side or Low-Side Sensing

3.Reports Current, Voltage, and Power


4.High Accuracy:0.1% Gain Error (max)

Package Included:1 x INA226 Bi-Directional Voltage Current Power Alert Monitor Module


Produktgalleri













-NI +NI
CJMCU-226


IN+
IN-
VBS
ALE
SCL
SDA
GND
VCC
CJMCU-226
-NI +NI


VCC
GND
SCL
SDA
ALE
VBS
IN-
+NI


IN+
IN-
VBS
ALE
SCL
SDA
GND
VCC