JINJIEAN A19S 1/1.8 Starlight CMOS 1500TVL FPV Camera



Produktkode: 912aa
Tilgjengelighet: 1
Weight: 0.00kg
Custom Field 5 (Location): Drone 4

Pris: kr. 300,00

Kort beskrivelse
JINJIEAN A19S 1/1.8 Starlight CMOS 1500TVL FPV Camera 2.1mm/2.3mm PAL/NTSC For RC Drone - Black

Beskrivelse
Specifications:

Color: Red/Black
Model: MINI A19S FPV cameras
Lmage Sensor: 1/1.8' Starlight level sensor
Horizotal Resoulution: 1500TVL
Lens: 2.1mm/2.3mm
Signal System: PAL/NTSC (OSD Internal adjustable)
S/N Ratio: >60Db(AGC OFF)
Electronic Shutter Speed: PAL: 1/50-100.000, NTSC:1/60-100,000 Auto Gain Control(AGC): LOW/MIDDLE/HIGH
Back light compensation(BLC): YES
Min lllumination: 0.0001Lux/1.2F
WDR: D-WDR
DNR: 3DNR
Day/Night: Auto/Color/B*W
Power: DC 5V-30V
Net weight: 8.g

Dimensions: 19mm*19mm*19mm

OSD

exposure: Brightness/exposure mode/gain
The white balance: Automatic tracking white balance
Day and night mode: Internal automatic/color mode/black and white mode
Video Settings: Contrast/sharpness/saturation/digital noise/video format (N/P)/digital wide dynamic
language: Chinese/English/German/Italian/Russian
Restore the factory Settings: OK
Save the exit: OK

Package Included:

1 set x MINI A19S FPV cameras

Model	**MINI A19S FPV cameras**
Lmage Sensor	**1/1.8′ Starlight level sensor**
Horizotal Resoulution	1500TVL
Lens	2.1mm/2.3mm
Signal System	PAL/NTSC (OSD Internal adjustable)
S/N Ratio	＞60Db(AGC OFF)
Electronic Shutter Speed	PAL: 1/50-100.000, NTSC:1/60-100,000
Auto Gain Control(AGC)	LOW/MIDDLE/HIGH
Back light compensation(BLC)	YES
Min Illumination	0.0001Lux/1.2F
WDR	D-WDR
DNR	3DNR
Day/Night	Auto/Color/B*W
Power	DC 5V-30V
Net weight	8.g
Dimensions	19mm*19mm*19mm
OSD	
exposure	Brightness/exposure mode/gain
The white balance	Automatic tracking white balance
Day and night mode	Internal automatic/color mode/black and white mode
Video Settings	Contrast/sharpness/saturation/digital noise/video format (N/P)/digital wide dynamic
language	Chinese/English/German/Italian/Russian
Restore the factory Settings	OK
Save the exit	OK


1/4 8" 2.1mm 5MP IR